

# BOX BLADES

**BBX, SBX, &  
MBX SERIES**

**BBX48 / BBX60 / BBX65 / BBX72 / SBX48 / SBX60 / SBX65 /  
SBX72 / SBX78 / SBX84 / MBX60 / MBX72 / MBX84 / MBX96**



***More tools to handle the landscaping chores of homeowners and compact tractor owners...***

Bush Hog® now offers a light-duty, full-size box blade line, along with a series of compact road graders that expand the work capabilities of your small, compact and subcompact tractors. Bush Hog® is committed to providing you more reasons to get out of the house and go to work. The dirt around your house or workplace better look out... things are going to be moving!

## **LIGHT-DUTY BOX BLADE SPECIFICATIONS**

**MODELS: BBX48 | BBX60 | BBX65 | BBX72**

<b>Working Width</b>	48"	60"	65"	72"
<b>Moldboard Height</b>	15 5/8"			
<b>Box Depth</b>	22"			
<b>Overall Depth</b>	27"			
<b>Overall Height</b>	33"			
<b>Overall Width</b>	49"	61"	67"	73"
<b>Side Sheet Thickness</b>	1/4"			
<b>Scarifier Size</b>	5/8" x 2 1/2"			
<b>Number of Scarifier Teeth</b>	4	5	6	
<b>Hitch</b>	Cat. 1 Std., Quick Hitch			
<b>Lower Hitch</b>	Single lug			
<b>Cutting Edge (Reversible)</b>	3/8" x 6"			
<b>Number of Blades</b>	2			
<b>Max. HP Requirement 2 WD</b>	40 HP			
<b>Max. HP Requirement 4 WD</b>	30 HP			
<b>A-Frame</b>	Bolt-on			
<b>Scarifier Box</b>	4" x 4" x 1/4"			
<b>Weight</b>	260 lb.	325 lb.	375 lb.	390 lb.



## SBX Series Box Blades

The Bush Hog® SBX Series Box Blades are exceptional tools when the job requires grading, leveling or back filling. The scarifiers have three adjustable height positions and replaceable heat-treated tips for extended wear. Two 1/2" x 6" heat-treated, reversible and replaceable cutting edges smooth even the roughest ground. Rated for use on two-wheel drive tractors up to 50 PTO HP and four-wheel drive tractors up to 40 PTO HP, these box blades provide excellent value for the price.

### SBX BOX BLADE SPECIFICATIONS

MODELS:	SBX48	SBX60	SBX65	SBX72	SBX78	SBX84
Working Width	48"	60"	65"	72"	78"	84"
Moldboard Height	18"					
Box Depth	24"					
Overall Depth	29"					
Overall Height	35 1/4"					
Overall Width	49"	61"	66"	73"	78"	85"
Side Sheet Thickness	3/8"			1/4"	3/8"	
Scarifier Size	3/4" x 2 1/2"					
Number of Scarifier Teeth	4	5		6		
Hitch	ASAE Cat. 1, Quick Hitch					
Lower Hitch	Double Lug			Single Lug	Double Lug	
Cutting Edge	1/2" x 6" (Reversible)					
Number of Blades	2					
Maximum HP Requirement	2					

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

## MBX Series Box Blades

Bush Hog®'s MBX Series Medium Duty Box Blades are the ideal choice for use around the farm or by landscape contractors on the jobsite. These box blades are rated for use on two-wheel drive tractors up to 65 PTO HP and four-wheel drive tractors up to 55 PTO HP with a Cat. 1 or 2 Quick Hitch. They feature a heavy duty A-frame, heat-treated scarifier shanks, and a swinging tailgate to provide years of trouble-free performance. Whether you are grading driveways, cleaning out barns, or leveling a construction jobsite, these medium duty box blades are sure to meet your needs.



### MBX BOX BLADE SPECIFICATIONS

MODELS:	MBX60	MBX72	MBX84	MBX96
Working Width	60"	72"	84"	96"
Moldboard Height	18"			
Box Depth	24"			
Overall Depth	29"			
Overall Height	35 1/4"			
Overall Width	61"	73"	85"	97"
Swinging Tailgate	Yes			
Side Sheet Thickness	3/8"			
Scarifier Size	3/4" x 2 1/2"			
Number of Scarifier Teeth	5	6		
Hitch	ASAE Cat. 1 & 2, Quick Hitch			
Lower Hitch	Triple Lug			
Cutting Edge	1/2" x 6" (Reversible)			
Number of Blades	2			
Max. HP Requirement (2WD/4WD)	65 HP / 55 HP			

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

# RETRACTABLE SHANK BOX BLADES

RBX  
SERIES

RBX720 / RBX780 / RBX840

## RBX Series Box Blades

Bush Hog®'s BBX Series of Box Blades is an excellent choice for a full-size box blade that can handle landscaping chores and other light duty tasks around the home or farm. Designed for small, compact and subcompact four-wheel drive tractors up to 30 HP or two-wheel drive tractors up to 40 HP, the BBX Series is built to handle tough tasks at a very reasonable price.

### RBX Series Performance Features

- Heavy-Duty A Frame with Category I Quick Hitch
- Heat-Treated Scarifier Teeth
- Heavy-Duty Double Strap Hitch
- Reversible, Replaceable Cutting Edges
- Heavy-Duty End Plates
- Strong Tubular Construction
- Deep 22" Box height
- Powder Coat Paint
- Available in Major Tractor Colors



### RETRACTABLE SHANK BOX BLADE SPECIFICATIONS

MODELS:	RBX720	RBX780	RBX840
Working Width	72"	78"	84"
Number of Scarifiers	6	5	
Cutting Edge	Reversible 1/2" x 6", Heat Treated		
Points & Shanks	Replaceable		
Hitch	ASAE Cat. 1 & 2, Quick Hitch		
Max. HP Requirement (2WD/4WD)	65 HP / 55 HP		

# ROLLOVER BOX BLADES

RO  
SERIES

RO-600 / RO-650 / RO-720



## RO Series Box Blades

With the ability to perform three different functions, Bush Hog®'s Rollover Box Blade Series is one of the most versatile implements for landscapers. In the first position, the heat-treated reversible cutting edge is ideal for grading the material. In the second position, backfilling can be easily accomplished. Finally, in the third position, heavy duty scarifier shanks give you plenty of ripping ability when breaking up compacted ground. What makes this tool more valuable is that all three positions can be changed from the tractor seat. These rollover box blades are rated for use on two-wheel drive tractors up to 60 PTO HP and four-wheel drive tractors up to 45 PTO HP.

### ROLLOVER BOX BLADE SPECIFICATIONS

	MODELS: RO-600	RO-650	RO-720	RO-840
Working Width	60"	65"	72"	84"
Number of Scarifiers	5		6	
Cutting Edge	Reversible 1/2" x 6", Heat Treated			
Points & Shanks	Replaceable			
Hitch	ASAE Cat. 1, Quick Hitch			
Max. HP Requirement (2WD/4WD)	60 HP / 45 HP			

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE